























Radio Family	Image	Part No.	Description	Dimensions HxWxD (mm)	Weight (Kg)	Chemistry	Number of Pockets	Maintenance System	Operating Voltage AC	Line Cord	Display	Charger Type
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		MDHTN3004	Multi unit charger with six stations, 230V Euro	152 x 450 x 300	4	Li-ION/NiCd/NiMH	6	No	230 V	Euro	No	Rapid
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		MDHTN3005	Multi unit charger with six stations, 230V UK	152 x 450 x 300	4	Li-ION/NiCd/NiMH	6	No	230 V	UK	No	Rapid
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		MDHTN3003	Multi unit charger with six stations, 120V US (not CE compliant)	152 x 450 x 300	4	Li-ION/NiCd/NiMH	6	No	120 V	US	No	Rapid
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		WPLN4189	Impres multi unit charger, 230V Euro	152 x 450 x 300	3.6	Li-ION/NiCd/NiMH	6	Yes	230V	Euro	Option	Impres
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		WPLN4188	Impres multi unit charger , 230V UK	152 x 450 x 300	3.6	Li-ION/NiCd/NiMH	6	Yes	230V	UK	Option	Impres
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		WPLN4205	Impres multi unit charger, 120V US (not CE compliant)	152 x 450 x 300	3.6	Li-ION/NiCd/NiMH	6	Yes	120V	US	Option	Impres
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		WPLN4194	Impres display multi unit charger, 230V Euro	152 x 450 x 300	3.7	Li-ION/NiCd/NiMH	6	Yes	230V	Euro	Yes	Impres
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		WPLN4193	Impres display multi unit charger, 230V UK	152 x 450 x 300	3.7	Li-ION/NiCd/NiMH	6	Yes	230V	UK	Yes	Impres
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		WPLN4204	Impres display multi unit charger, 120V US (not CE compliant)	152 x 450 x 300	3.7	Li-ION/NiCd/NiMH	6	Yes	120V	US	Yes	Impres
Commercial CP040, CP140, CP160 and CP180		WPLN4162	Multi unit charger with six stations, 230V Euro	25 x 400 x 300	2.4	Li-ION/NiCd/NiMH	6	No	230 V	Euro	No	Rapid
Commercial CP040, CP140, CP160 and CP180		WPLN4163	Multi unit charger with six stations, 230V UK	25 x 400 x 300	2.4	Li-ION/NiCd/NiMH	6	No	230 V	UK	No	Rapid
Commercial CP040, CP140, CP160 and CP180		WPLN4161	Multi unit charger with six stations, 120V US (not CE compliant)	25 x 400 x 300	2.4	Li-ION/NiCd/NiMH	6	No	120 V	US	No	Rapid
P040 and P080		RLN5220	Multi unit charger with six stations, 230V Euro	25 x 400 x 300	2.4	NiCd/NiMH	6	No	230 V	Euro	No	Rapid
P040 and P080		RLN5219	Multi unit charger with six stations, 230V UK	25 x 400 x 300	2.4	NiCd/NiMH	6	No	230 V	UK	No	Rapid
P040 and P080		RLN5218	Multi unit charger with six stations, 120V US (not CE compliant)	25 x 400 x 300	2.4	NiCd/NiMH	6	No	120 V	US	No	Rapid

Radio Family	Image	Part No.	Description	Dimensions HxWxD (mm)	Weight (Kg)	Chemistry	Number of Pockets	Maintenance System	Operating Voltage AC	Line Cord	Display	Charger Type
GP900 and GP1200		WPLN4109	Impres multi unit charger universal, 230V Euro	152 x 450 x 300	3.7	Li-ION/NiCd/NiMH	6	Yes	230V	Euro	Option	Impres
GP900 and GP1200		WPLN4110	Impres multi unit charger universal, 230V UK	152x 450 x 300	3.7	Li-ION/NiCd/NiMH	6	Yes	230V	UK	Option	Impres
GP900 and GP1200		WPLN4120	Impres multi unit charger universal, 120V US (not CE compliant)	152x 450 x 300	3.7	Li-ION/NiCd/NiMH	6	Yes	120V	US	Option	Impres
GP900 and GP1200		WPLN4131	Impres display multi unit charger universal, 230V Euro	152x 450 x 300	3.9	Li-ION/NiCd/NiMH	6	Yes	230 V	Euro	Yes	Impres
GP900 and GP1200		WPLN4132	Impres display multi unit charger universal, 230V UK	152x 450 x 300	3.9	Li-ION/NiCd/NiMH	6	Yes	230 V	UK	Yes	Impres
GP900 and GP1200		WPLN4135	Impres display multi unit charger universal, 120V US (not CE compliant)	152x 450 x 300	3.9	Li-ION/NiCd/NiMH	6	Yes	120 V	US	Yes	Impres
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		MDHTN3001	Rapid single unit charger, 230V Euro	50 x 110 x 100	0.4	Li-ION/NiCd/NiMH	1	No	230 V	Euro	No	Rapid
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		MDHTN3002	Rapid single unit charger, 230V UK	50 x 110 x 100	0.4	Li-ION/NiCd/NiMH	1	No	230 V	UK	No	Rapid
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		MDHTN3000	Rapid single unit charger, 120V US (not CE compliant)	50 x 110 x 100	0.4	Li-ION/NiCd/NiMH	1	No	120 V	US	No	Rapid
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		WPLN4184	Impres single unit charger, 230V Euro	55 x 95 x 150	0.2	Li-ION/NiCd/NiMH	1	Yes	230 V	Euro	No	Impres
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		WPLN4183	Impres single unit charger, 230V UK	55 x 95 x 150	0.2	Li-ION/NiCd/NiMH	1	Yes	230 V	UK	No	Impres
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		WPLN4206	Impres single unit charger, 120V US (not CE compliant)	55 x 95 x 150	0.2	Li-ION/NiCd/NiMH	1	Yes	120 V	US	No	Impres
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		MDRLN4883	Travel charger with VPA adapter and coiled cable	55 x 35 x 60	0.16	Li-ION/NiCd/NiMH	1	No	12 - 32 VDC	Other	No	Rapid
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		EN1006	VHF Vehicle adapter (136 MHz - 174 MHz)	250 x 100 x 85	0.8	Li-ION/NiCd/NiMH	1	No	12 - 32 VDC	Other	No	Rapid
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		EN1007	UHF Vehicle adapter (403 MHz - 470 MHz)	250 x 100 x 85	0.8	Li-ION/NiCd/NiMH	1	No	12 - 32 VDC	Other	No	Rapid

Radio Family	Image	Part No.	Description	Dimensions HxWxD (mm)	Weight (Kg)	Chemistry	Number of Pockets	Maintenance System	Operating Voltage AC	Line Cord	Display	Charger Type
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		EN1008	UHF Vehicle adapter (450 MHz - 527 MHz)	250 x 100 x 85	0.8	Li-ION/NiCd/NiMH	1	No	12 - 32 VDC	Other	No	Rapid
Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688		EN1009	Vehicle adapter (300 MHz)	250 x 100 x 85	0.8	Li-ION/NiCd/NiMH	1	No	12 - 32 VDC	Other	No	Rapid
Commercial CP040, CP140, CP160 and CP180		WPLN4139	Rapid single unit charger, 230V Euro	50 x 100 x 110	0.4	Li-ION/NiCd/NiMH	1	No	230 V	Euro	No	Rapid
Commercial CP040, CP140, CP160 and CP180		WPLN4140	Rapid single unit charger, 230V UK	50 x 100 x 110	0.4	Li-ION/NiCd/NiMH	1	No	230 V	UK	No	Rapid
Commercial CP040, CP140, CP160 and CP180		WPLN4138	Rapid single unit charger, 120V US	50 x 100 x 110	0.4	Li-ION/NiCd/NiMH	1	No	120 V	US	No	Rapid
P040 and P080		MDPMTN4036	Rapid single unit charger, 230V Euro	50 x 100 x 110	0.4	NiCd/NiMH	1	No	230 V	Euro	No	Rapid
P040 and P080		MDPMTN4037	Rapid single unit charger, 230V UK	50 x 100 x 110	0.4	NiCd/NiMH	1	No	230 V	UK	No	Rapid
P040 and P080		MDPMTN4038	Rapid single unit charger, 120V US (not CE compliant)	50 x 100 x 110	0.4	NiCd/NiMH	1	No	120 V	US	No	Rapid
P020 and P030		MDPMTN4088	Rapid single unit charger, 230V Euro	55 x 100 x 110	0.35	NiCd/NiMH	1	No	230 V	Euro	No	Rapid
P020 and P030		MDPMTN4089	Rapid single unit charger, 230V UK	55 x 100 x 110	0.35	NiCd/NiMH	1	No	230 V	UK	No	Rapid
P020 and P030		MDPMTN4087	Rapid single unit charger, 120V US (not CE compliant)	55 x 100 x 110	0.35	NiCd/NiMH	1	No	120 V	US	No	Rapid
GP900 and 1200		RPX4748	Rapid single unit charger, 230V Euro	100 x 110 x 100	0.4	NiCd/NiMH	1	No	230 V	Euro	No	Rapid
GP900 and 1200		RPX4749	Rapid single unit charger, 230V UK	100 x 110 x 100	0.4	NiCd/NiMH	1	No	230 V	UK	No	Rapid
GP900 and 1200		RPX4747	Rapid single unit charger, 120V US (not CE compliant)	100 x 110 x 100	0.4	NiCd/NiMH	1	No	120 V	US	No	Rapid
GP900 and 1200		NTN1668	Rapid single unit charger, 230V Euro	65 x 110 x 100	0.4	Li-ION/NiCd/NiMH	1	No	230 V	Euro	No	Rapid

Radio Family	Image	Part No.	Description	Dimensions HxWxD (mm)	Weight (Kg)	Chemistry	Number of Pockets	Maintenance System	Operating Voltage AC	Line Cord	Display	Charger Type
GP900 and 1200		NTN1669	Rapid single unit charger, 230V UK	65 x 110 x 100	0.4	Li-ION/NiCd/NiMH	1	No	230 V	UK	No	Rapid
GP900 and 1200		WPLN4112	Universal impres single unit charger, 230V Euro	80 x 100 x 200	0.6	Li-ION/NiCd/NiMH	1	Yes	230V	Euro	No	Impres
GP900 and 1200		WPLN4113	Universal impres single unit charger, 230V UK	80 x 100 x 200	0.6	Li-ION/NiCd/NiMH	1	Yes	230 V	UK	No	Impres
GP900 and 1200		WPLN4117	Universal impres single unit charger, 120V US (not CE compliant)	80 x 100 x 200	0.6	Li-ION/NiCd/NiMH	1	Yes	120 V	US	No	Impres
Visar		NTN1403	Rapid dual unit charger, 230V Euro	65 x 100 x 110	0.4	NiCd/NiMH	2	No	230V	Euro	No	Rapid
Visar		NTN1404	Rapid dual unit charger, 230V UK	65 x 100 x 110	0.4	NiCd/NiMH	2	No	230V	UK	No	Rapid
Visar		NTN1402	Rapid dual unit charger, 120V US (not CE compliant)	65 x 100 x 110	0.4	NiCd/NiMH	2	No	120V	US	No	Rapid
GP300 and P110		MDHTN9043	Rapid single unit charger, 230V Euro	100 x 110 x 100	0.4	NiCd/NiMH	1	No	230 V	Euro	No	Rapid
GP300 and P110		MDHTN9044	Rapid single unit charger, 230V UK	100 x 110 x 100	0.4	NiCd/NiMH	1	No	230 V	UK	No	Rapid
GP300 and P110		MDHTN9042	Rapid single unit charger, 120V US (not CE compliant)	100 x 110 x 100	0.4	NiCd/NiMH	1	No	120 V	US	No	Rapid